

Package: LNPar (via r-universe)

October 11, 2024

Title Estimation and Testing for a Lognormal-Pareto Mixture

Version 0.1.0

Description Estimates a lognormal-Pareto mixture by maximizing the profile likelihood function. A likelihood ratio test for discriminating between lognormal and Pareto tail is also implemented. See Bee, M. (2022) [<doi:10.1007/s11634-022-00497-4>](https://doi.org/10.1007/s11634-022-00497-4).

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Depends R (>= 4.0.0)

LazyData true

RdMacros Rdpack

Imports Rdpack, parallel, stats

Repository <https://marco-bee.r-universe.dev>

RemoteUrl <https://github.com/marco-bee/lpar>

RemoteRef HEAD

RemoteSha d2427bcd04187748f96f0429a2cae98f9faa099

Contents

dLnormParMix	2
dpareto	2
LPfit	3
LPtest	4
MLEBoot	5
ParallelTest	6
par_logn_mix_known	7
rLnormParMix	8
rpareto	8
TN2016	9

Index**10**

dLnormParMix	<i>density of a mixture of a lognormal and a Pareto r.v.</i>
--------------	--

Description

This function computes the density of a mixture of a lognormal and a Pareto r.v.

Usage

```
dLnormParMix(x, pi, mu, sigma, xmin, alpha)
```

Arguments

x	non-negative numerical vector: values where the density has to be evaluated.
pi	scalar, $0 < p < 1$: mixing weight.
mu	scalar: expected value of the lognormal distribution on the log scale.
sigma	positive scalar: standard deviation of the lognormal distribution on the log scale.
xmin	positive scalar: threshold.
alpha	positive scalar: Pareto shape parameter.

Value

Density of the lognormal-Pareto distribution evaluated at x.

Examples

```
mixDens <- dLnormParMix(5, .5, 0, 1, 4, 1.5)
```

dpareto	<i>density of a Pareto r.v.</i>
---------	---------------------------------

Description

This function evaluates the density of a Pareto r.v.s

Usage

```
dpareto(x, xmin, alpha)
```

Arguments

x	numerical vector ($>xmin$): values where the density has to be evaluated.
xmin	positive scalar: Pareto scale parameter.
alpha	positive scalar: Pareto shape parameter.

Value

Density of the Pareto distribution evaluated at x.

Examples

```
parDens <- dpareto(5,4,1.5)
```

LPfit	<i>Estimating a lognormal-Pareto mixture by maximizing the profile log-likelihood</i>
-------	---

Description

This function fits a lognormal-Pareto mixture by maximizing the profile log-likelihood.

Usage

```
LPfit(y, minRank, nboot)
```

Arguments

y	numerical vector: random sample from the mixture.
minRank	integer: minimum possible rank of the threshold.
nboot	number of bootstrap replications used for estimating the standard errors. If omitted, no standard errors are computed.

Details

Estimation is implemented as in Bee (2022). As of standard errors, at each bootstrap replication the mixture is estimated with thresholds equal to $ys(\text{minRank})$, $ys(\text{minRank}+1)$, ..., $ys(n)$, where n is the sample size and ys is the sample sorted in ascending order. The latter procedure is implemented via parallel computing. If the algorithm does not converge in 1000 iterations, a message is displayed.

Value

A list with the following elements:

xmin: estimated threshold.

prior: estimated mixing weight.

postProb: matrix of posterior probabilities.

alpha: estimated Pareto shape parameter.

mu: estimated expectation of the lognormal distribution on the lognormal scale.

sigma: estimated standard deviation of the lognormal distribution on the lognormal scale.

loglik: maximized log-likelihood.

nit: number of iterations.

npareto: estimated number of Pareto observations.

bootstd: bootstrap standard errors of the estimators.

References

Bee M (2022). “On discriminating between lognormal and Pareto tail: an unsupervised mixture-based approach.” *Advances in Data Analysis and Classification*. doi:10.1007/s11634022004974.

Examples

```
mixFit <- LPfit(TN2016,90,0)
```

LPtest	<i>Testing for a Pareto tail</i>
--------	----------------------------------

Description

This function draws a bootstrap sample from the null (lognormal) distribution and computes the test for the null hypothesis of a pure lognormal distribution versus the alternative of a lognormal-Pareto mixture. To be only called from ParallelTest.

Usage

```
LPtest(x, n, muNull, sigmaNull, minRank)
```

Arguments

x	list: sequence of integers 1,...,K, where K is the number of datasets. Set x = 1 in case of a single dataset.
n	sample size.
muNull	lognormal expected value under the null hypothesis.
sigmaNull	lognormal standard deviation under the null hypothesis.
minRank	minimum possible rank of the threshold.

Value

A list with the following elements:
 LR: observed value of the llr test.

References

Bee M (2022). “On discriminating between lognormal and Pareto tail: an unsupervised mixture-based approach.” *Advances in Data Analysis and Classification*. doi:10.1007/s11634022004974.

Examples

```
n = 100
muNull = mean(log(TN2016))
sigmaNull = sd(log(TN2016))
minRank = 90
res = LPtest(1,n,muNull,sigmaNull,minRank)
```

MLEBoot	<i>Bootstrap standard errors for the estimators of a lognormal-Pareto mixture</i>
---------	---

Description

This function draws a bootstrap sample and uses it to estimate the parameters of a lognormal-Pareto mixture distribution. Since this is typically called by LPfit, see the help of LPfit for examples.

Usage

```
MLEBoot(x, y, minRank, p0, alpha0, mu0, Psi0)
```

Arguments

x	list: sequence of integers 1,...,K, where K is the number of datasets. Set x = 1 in case of a single dataset.
y	numerical vector: observed sample.
minRank	positive integer: minimum possible rank of the threshold.
p0	(0<p0<1): starting value of the mixing weight.
alpha0	non-negative scalar: starting value of the Pareto shape parameter.
mu0	scalar: starting value of the log-expectation of the lognormal distribution on the log scale.
Psi0	non-negative scalar: starting value of the log-variance of the lognormal distribution on the log scale.

Details

At each bootstrap replication, the mixture is estimated with thresholds equal to $y_{s(\text{minRank})}$, $y_{s(\text{minRank}+1)}$, ..., $y_{s(n)}$, where n is the sample size and y_s is the sample in ascending order. The function is typically called by LPfit (see the example below).

Value

Estimated parameters obtained from a bootstrap sample.

References

Bee, M. (2022), "On discriminating between lognormal and Pareto tail: a mixture-based approach", *Advances in Data Analysis and Classification*, <https://doi.org/10.1007/s11634-022-00497-4>

ParallelTest	<i>Testing for a Pareto tail</i>
--------------	----------------------------------

Description

This function computes the bootstrap test for the null hypothesis of a pure lognormal distribution versus the alternative of a lognormal-Pareto mixture. Implemented via parallel computing.

Usage

```
ParallelTest(nboot, y, obsTest, minRank)
```

Arguments

nboot	number of bootstrap replications.
y	observed data.
obsTest	value of the test statistics computed with the data under analysis.
minRank	minimum possible rank of the threshold.

Value

A list with the following elements:

LR: nboot simulated values of the llr test under the null hypothesis.

pval: p-value of the test.

Examples

```
minRank = 90
mixFit <- LPfit(TN2016,minRank,0)
ell1 <- mixFit$loglik
estNull <- c(mean(log(TN2016)),sd(log(TN2016)))
ellNull <- sum(log(dlnorm(TN2016,estNull[1],estNull[2])))
obsTest <- 2*(ell1-ellNull)
nboot = 2
TestRes = ParallelTest(nboot,TN2016,obsTest,minRank)
```

par_logn_mix_known	<i>Estimate the parameters of a lognormal-Pareto density, assuming a known threshold</i>
--------------------	--

Description

This function estimates the parameters of a Pareto and a lognormal density, assuming a known threshold.

Usage

```
par_logn_mix_known(y, prior1, th, alpha, mu, sigma)
```

Arguments

y	non-negative numerical vector: random sample from the mixture.
prior1	scalar ($0 < \text{prior1} < 1$): starting value of the prior probability.
th	positive scalar: threshold.
alpha	non-negative scalar: starting value of the Pareto shape parameter.
mu	scalar: starting value of the lognormal parameter mu.
sigma	positive scalar: starting value of the lognormal parameter sigma.

Value

A list with the following elements:

xmin: estimated threshold.

prior: estimated mixing weight.

post: matrix of posterior probabilities.

alpha: estimated Pareto shape parameter.

mu: estimated expectation of the lognormal distribution on the lognormal scale.

sigma: estimated standard deviation of the lognormal distribution on the lognormal scale.

loglik: maximized log-likelihood.

nit: number of iterations.

Examples

```
mixFit <- par_logn_mix_known(TN2016, .5, 4700, 3, 7, 1.2)
```

rLnormParMix	<i>Random number simulation for a mixture of a lognormal and a Pareto r.v.</i>
--------------	--

Description

This function simulates random numbers for a mixture of a lognormal and a Pareto r.v.

Usage

```
rLnormParMix(n, pi, mu, sigma, xmin, alpha)
```

Arguments

n	positive integer: number of simulated random numbers.
pi	scalar, $0 < \text{pi} < 1$: mixing weight.
mu	scalar: expected value of the lognormal distribution on the log scale.
sigma	positive scalar: standard deviation of the lognormal distribution on the log scale.
xmin	positive scalar: threshold.
alpha	non-negative scalar: Pareto shape parameter.

Value

n iid random numbers from the lognormal-Pareto distribution.

Examples

```
ySim <- rLnormParMix(100, .5, 0, 1, 4, 1.5)
```

rpareto	<i>Random number generation for a Pareto r.v.</i>
---------	---

Description

This function simulates random numbers for a Pareto r.v.

Usage

```
rpareto(n, xmin, alpha)
```

Arguments

n	positive integer: number of simulated random numbers.
xmin	positive scalar: Pareto scale parameter.
alpha	non-negative scalar: Pareto shape parameter.

Value

n iid random numbers from the Pareto distribution.

Examples

```
ySim <- rpareto(5,4,1.5)
```

TN2016

Number of employees in year 2016 in all the firms of the Trento district

Description

A dataset containing the number of employees in year 2016 in all the firms of the Trento district in Northern Italy.

Usage

```
TN2016
```

Format

A numerical vector with 183 rows and 1 column.

Source

<https://dati.trentino.it/>

Index

- * **EM**
 - MLEBoot, 5
- * **algorithm.**
 - MLEBoot, 5
- * **datasets**
 - TN2016, 9
- * **density.**
 - dpareto, 2
- * **likelihood.**
 - LPfit, 3
- * **likelihood;**
 - LPtest, 4
 - MLEBoot, 5
 - ParallelTest, 6
- * **log-likelihood**
 - LPtest, 4
 - ParallelTest, 6
- * **mixture.**
 - dLnormParMix, 2
 - rLnormParMix, 8
- * **mixture;**
 - LPfit, 3
 - LPtest, 4
 - MLEBoot, 5
 - ParallelTest, 6
- * **number**
 - rpareto, 8
- * **profile**
 - LPfit, 3
 - LPtest, 4
 - MLEBoot, 5
 - ParallelTest, 6
- * **random**
 - rpareto, 8
- * **ratio**
 - LPtest, 4
 - ParallelTest, 6
- * **simulation.**
 - rpareto, 8
- * **test.**
 - LPtest, 4
 - ParallelTest, 6
- dLnormParMix, 2
- dpareto, 2
- LPfit, 3
- LPtest, 4
- MLEBoot, 5
- par_logn_mix_known, 7
- ParallelTest, 6
- rLnormParMix, 8
- rpareto, 8
- TN2016, 9